

	<p style="text-align: center;">State of Ohio Weatherization Program Standards</p>	Section	<b>ADMINISTRATION</b>
		Subject	<b>Prioritization Standards</b>

### *PRIORITIZATION 106*

Grantees are required to apply weatherization measures that have been prioritized based on cost-effectiveness. **prioritization**  
106-1

Authorized providers shall install measures funded by the Universal Service Fund (USF) based upon the USF building prioritization list and the USF required measures list, as identified and developed by the ODOD. **USF measures**  
106-1.1

Grantees shall determine the cost-effectiveness of HWAP-funded weatherization measures based upon the required measures list for each building type, as identified and developed by the ODOD/OEE, unless any of the situations described in 106-2.1 and exist. If the building meets the definition of a High-Rise/Multi-Family Building (4 or more stories above grade, or centrally-heated buildings with 5 or more units), reference WPS Administration Section 900. **HWAP measures**  
106-1.2

Specific retrofits may **not** be performed without first determining that the Savings-to-Investment Ratio (SIR) of the retrofit is equal to or greater than 1 (one) as determined by the NEAT in the following situations: **NEAT**  
106-2.1

Any instance where the following optional measures will be added: **optional measures**  
106-2.1a

- storm windows
- intermittent ignition devices
- burner replacements
- clock thermostats
- vent dampers

Any instance where additional insulation will be added to an attic with existing insulation equal to or greater than R-19. **existing insulation**  
106-2.1b

Any instance where a furnace will be replaced for efficiency improvements. **furnace replaced for inefficiency**  
106-2.1c

**additional repairs  
exceed \$150**  
106-2.1d

Any instance when material costs for additional repairs associated with a specific retrofit exceed \$150.

**MHEA**  
106-2.2

(RESERVED)